

10/612,759

**EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	container with setting with data with policy	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L2	45	setting with data with group with policy	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L3	35	schema with group with policy	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L5	281	(xml adj schema) and (group with policy)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L6	281	(xml adj schema) and (group with policy) and (xml html)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L7	122	L6 and report	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L8	63	policy with setting with report\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L9	34	report\$5 with setting with (html xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L10	242	report\$5 with (configur\$5) same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L11	96	report\$5 with setting same (xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08

## EAST Search History

L12	73	L11 not L9	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L13	89	xml with schema with setting	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L14	23	(group with policy with object) and (xml with schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L15	72	xml with schema with policy	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L16	6	xml with schema with policy with object	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L17	3	xml with schema with group with policy	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L18	89	xml with schema with setting	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L19	16	xml with schema with (resultant)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L20	3	xml with schema and (resultant with policy)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L21	7	(xml with schema) and (resultant with setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L22	5	(dtd) and (resultant with setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08

## EAST Search History

L23	43	(dtd) and (setting with policy)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L24	215	(display\$5 report\$5) with (setting policy) with xml	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L25	65	L24 and (xml with schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L37	1009	L35 and ((web adj page) and html)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L82	3443	(715/513).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/09/11 10:08
L84	1077	(715/517).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/09/11 10:08
L85	1439	(715/500).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/09/11 10:08
L86	4067	(709/227).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/09/11 10:08
L87	6417	(709/223).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/09/11 10:08
L102	3	policy with setting with xml with schema	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L103	6	policy with object with xml with schema	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08

## EAST Search History

L104	72	policy with xml with schema	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L105	35	schema with group with policy	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L107	47	group with policy with object with setting	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L109	482	group with policy with object	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L112	149	report\$5 with (xml with schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L118	24	policy with setting with xml	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L122	741	group adj policy	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L123	165	L122 and schema	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L124	128	L122 and ((xml adj schema) dtd)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L125	90	L122 and ((xml adj schema))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L126	15	xml with report with setting	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08

## EAST Search History

L127	151	xml same report same setting	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L128	90	L125 and (xml adj schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L129	23	L127 and (xml adj schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L130	46	L127 and (schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L131	201	xml adj schema with (setting configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L132	52	xml adj schema with (setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L133	50	xml adj schema with (policy)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L202	75	group\$5 adj polic\$3 adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L213	12	combin\$5 with configur\$5 with setting\$1 with report\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L214	99	combin\$5 with (configur\$5 setting\$1) with (generat\$5 creat\$5) with report\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L215	51	combin\$5 with (rule policy) with (generat\$5 creat\$5) with report\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08

## EAST Search History

L216	319	combin\$5 with setting with (rule policy)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L217	29	(display\$5 report\$5 view\$5) with combin\$5 with setting with (rule policy)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L221	421	(report\$5) with (selected configured) with (settings)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L247	13	(markup xml html) same report\$5 with setting with configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L248	126	(markup xml html) same report\$5 with setting	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L249	2	(markup xml html) with report\$5 with setting with configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L250	181	(display\$5 report\$5) with setting with appl\$5 with computer	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L251	123	(setting with configur\$5 with appl\$5 with computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L252	50	(report\$5) with setting with configur\$5 with computer	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L253	11	(report\$5) with setting with appl\$5 with computer	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L255	43	report\$5 with settings with enable	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/09/11 10:08

## EAST Search History

L256	1	(markup xml html) same report\$5 with settings with configured	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/09/11 10:08
L257	31	report\$5 with settings with configured	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/09/11 10:08
L258	17	report\$5 with settings with applied	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/09/11 10:08
L259	1	report\$5 with current with object near3 policy with setting	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L260	12	object near3 policy with setting same report	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L262	5	report\$5 with current with policy with setting	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08
L263	8	report\$5 with only with current with setting	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/09/11 10:08

**EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L279	6	(policy and settings and (xml html markup) and report\$5).clm.	US-PGPUB	OR	ON	2007/09/11 11:02
L280	18	(rule and settings and (xml html markup) and report\$5).clm.	US-PGPUB	OR	ON	2007/09/11 11:03
L282	30	(policy and configur\$5 and (xml html markup) and report\$5).clm.	US-PGPUB	OR	ON	2007/09/11 11:06
L283	17	(policy and configur\$5 and set\$5 and (xml html markup) and report\$5).clm.	US-PGPUB	OR	ON	2007/09/11 11:06
L284	60	(rule and configur\$5 and set\$5 and (xml html markup) and report\$5).clm.	US-PGPUB	OR	ON	2007/09/11 11:06